

	Type	Hits	Search Text
1	BRS	5	257/\$.CCLS. and (substrate) and (dielectric) and (opening) and (conductor) and ((metallic or inter\$metallic) with (islands or (second adj island)))
2	BRS	3	257/\$.CCLS. and (substrate) and (dielectric) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (islands or (second adj island)) with (opening or orifice or cavity))
3	BRS	8	257/\$.CCLS. and (substrate) and (dielectric) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (island or (second adj island)) with (opening or orifice or cavity))
4	BRS	6	257/\$.CCLS. and (substrate) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (islands or (second adj island)) with (opening or orifice or cavity or hole or crevice or void))
5	BRS	0	327/\$.CCLS. and (substrate) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (islands or (second adj island)) with (opening or orifice or cavity or hole or crevice or void))
6	BRS	0	340/\$.CCLS. and (substrate) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (islands or (second adj island)) with (opening or orifice or cavity or hole or crevice or void))
7	BRS	0	342/\$.CCLS. and (substrate) and ((metallic or inter\$metallic or metal or copper or aluminum or gold or silver) with (islands or (second adj island)) with (opening or orifice or cavity or hole or crevice or void))
8	BRS	106	257/\$.CCLS. and ((connection or connector) with islands)
9	BRS	3	257/\$.CCLS. and ((connection or connector) with islands with (hole or orifice or cavity))

	DBs	Time Stamp	Comments	Error Definition
1	USPAT; EPO; JPO; DERWENT	2002/08/23 13:55		
2	USPAT; EPO; JPO; DERWENT	2002/03/09 13:54		
3	USPAT; EPO; JPO; DERWENT	2002/03/09 13:57		
4	USPAT; EPO; JPO; DERWENT	2002/03/09 14:04		
5	USPAT; EPO; JPO; DERWENT	2002/03/09 14:05		
6	USPAT; EPO; JPO; DERWENT	2002/03/09 14:06		
7	USPAT; EPO; JPO; DERWENT	2002/03/09 14:06		
8	USPAT; EPO; JPO; DERWENT	2002/03/09 14:29		
9	USPAT; EPO; JPO; DERWENT	2002/03/09 14:09		

	Errors
1	0
2	0
3	0
4	0
5	0
6	0
7	0
8	0
9	0

	Type	Hits	Search Text
10	BRS	106	257/\$.CCLS. and ((connection or connector) with islands)
11	BRS	194	257/\$.CCLS. and ((connection or connector or connect or connects or connecting) with islands)
12	BRS	16	257/\$.CCLS. and ((connection or connector or connect or connects or connecting) with islands with (orifice or hole or opening or cavity or orifices or holes or openings or cavities))
13	IS&R	1	("6058022").PN.
14	BRS	1314	257/508,774.CCLS.
15	BRS	319	(conductor with (islands))
16	BRS	5	((conductor) with (islands) with (inter\$1face))
17	BRS	2	((conductive) near1 (islands)) with (inter\$1face)
18	BRS	280	((conductive) near1 (islands))
19	BRS	20	((conductive) near1 (islands)) with (conductive adj layer)
20	BRS	369955	plug
21	BRS	2888	257/\$.ccls. and plug
22	BRS	1482	((low adj dielectric adj constant) with (substrate))
23	BRS	153	((low adj dielectric adj constant adj material) with (substrate))
24	BRS	9	((zirconium adj nitride) or (lanthanum adj nitride) or (strontium adj nitride)) with (advantage or advantages)
25	BRS	2	((zirconium adj nitride) or (lanthanum adj nitride) or (strontium adj nitride)) with (benefits or benefit or beneficial)
26	IS&R	2	("5496359").PN.
27	IS&R	2	("5282022").PN.
28	IS&R	2	("5282850").PN.

	DBs	Time Stamp	Comments	Error Definition
10	USPAT; EPO; JPO; DERWENT	2002/03/09 14:31		
11	USPAT; EPO; JPO; DERWENT	2002/03/09 14:32		
12	USPAT; EPO; JPO; DERWENT	2002/03/09 15:07		
13	USPAT; US-PGPUB	2002/03/09 15:02		
14	USPAT; EPO; JPO; DERWENT	2002/03/09 15:08		
15	USPAT; EPO; JPO; DERWENT	2002/08/21 17:51		
16	USPAT; EPO; JPO; DERWENT	2002/08/21 17:40		
17	USPAT; EPO; JPO; DERWENT	2002/08/21 17:52		
18	USPAT; EPO; JPO; DERWENT	2002/08/21 18:37		
19	USPAT; EPO; JPO; DERWENT	2002/08/21 18:37		
20	USPAT; EPO; JPO; DERWENT	2002/08/22 11:01		
21	USPAT; EPO; JPO; DERWENT	2002/08/22 15:40		
22	USPAT; EPO; JPO; DERWENT	2002/08/22 15:42		
23	USPAT; EPO; JPO; DERWENT	2002/08/22 15:47		
24	USPAT; EPO; JPO; DERWENT	2002/08/22 15:57		
25	USPAT; EPO; JPO; DERWENT	2002/08/22 15:55		
26	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 15:56		
27	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 15:56		
28	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 15:57		

	<b>Errors</b>
10	0
11	0
12	0
13	0
14	0
15	0
16	0
17	0
18	0
19	0
20	0
21	0
22	0
23	0
24	0
25	0
26	0
27	0
28	0

	Type	Hits	Search Text
29	IS&R	2	("5152794").PN.
30	BRS	1424	((zirconium adj nitride) or (lanthanum adj nitride) or (strontium adj nitride))
31	IS&R	2	("5497028").PN.
32	BRS	6848	varactor
33	BRS	1521	(varactor) and (gate)
34	BRS	474	(varactor) and (gate) and (inductor)
35	BRS	1145	(varactor).ti.
36	BRS	20	((varactor) and (gate) and (inductor)) and ((varactor).ti.)
37	BRS	4522	electrode with finger
38	BRS	0	(finger adj shaped adj electrode) with (advantage)
39	BRS	29	finger adj shaped adj electrode
40	BRS	54	(electrode with finger) with advantage
41	BRS	278458	LC
42	BRS	25261	(capacitor) with (inductor)

	DBs	Time Stamp	Comments	Error Definition
29	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 15:57		
30	USPAT; EPO; JPO; DERWENT	2002/08/22 15:59		
31	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:27		
32	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:27		
33	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:28		
34	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:28		
35	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:29		
36	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:47		
37	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:54		
38	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:48		
39	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 18:49		
40	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 19:13		
41	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 19:13		
42	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/23 19:14		



	<b>Errors</b>
29	0
30	0
31	0
32	0
33	0
34	0
35	0
36	0
37	0
38	0
39	0
40	0
41	0
42	0